

## **IN THE CLAIMS**

Claim 1 (currently amended): An adjustable book holder comprising:

a first frame,

a second frame, ~~and~~

at least one auxiliary frame selectively secured between said first and said second frames, and

a first follower and a second follower attached to said first and said second frames respectively, each of said first and said second frames including a cavity formed therein, each of said first and said second followers including a catch extended therefrom and engaged into said cavities of said first and said second frames, to secure said first and said second followers to said first and said second frames respectively.

Claim 2 (original): The adjustable book holder as claimed in claim 1, wherein said first frame includes at least one aperture formed therein, said at least one auxiliary frame includes at least one peg extended therefrom to selectively engage into said at least one aperture of said first frame, to secure said first frame and said at least one auxiliary frame together.

Claim 3 (original): The adjustable book holder as claimed in claim 1, wherein said at least one auxiliary frame includes at least one aperture formed therein, said second frame includes at least one peg extended therefrom to selectively engage into said at least one

aperture of said at least one auxiliary frame, to secure said second frame and said at least one auxiliary frame together.

Claim 4 (original): The adjustable book holder as claimed in claim 1, wherein said first frame includes an upper beam and a lower beam each having a plurality of orifices formed therein, for rotatably receiving axles of sheet members.

Claim 5 (original): The adjustable book holder as claimed in claim 1, wherein said second frame includes an upper beam and a lower beam each having a plurality of orifices formed therein, for rotatably receiving axles of sheet members.

Claim 6 (original): The adjustable book holder as claimed in claim 1, wherein said at least one auxiliary frame includes an upper beam and a lower beam each having a plurality of orifices formed therein, for rotatably receiving axles of sheet members.

Claims 7-8 (canceled).

Claim 9 (currently amended): The adjustable book holder as claimed in claim ~~7~~ 1, wherein said first follower includes at least one aperture formed therein, said at least one auxiliary frame includes at least one peg extended therefrom to selectively engage into said at least one aperture of said first follower, to secure said first follower and said at least one auxiliary frame together.

Claim 10 (currently amended): The adjustable book holder as claimed in claim ~~7~~ 1, wherein said at least one auxiliary frame includes at least one aperture formed therein, said second follower includes at least one peg extended therefrom to selectively engage into said at least one aperture of said at least one auxiliary frame, to secure said second follower and said at least one auxiliary frame together.

Claim 11 (currently amended): ~~The adjustable book holder as claimed in claim 7 further comprising~~ An adjustable book holder comprising:

a first frame,

a second frame,

at least one auxiliary frame selectively secured between said first and said second frames,

a first follower and a second follower attached to said first and said second frames respectively, and

a first seat and a second ~~seats~~ seat secured to said first and said second followers respectively.

Claim 12 (original): The adjustable book holder as claimed in claim 11 further comprising means for adjustably securing said first and said second followers to said first and said second seats respectively at selected angular positions.

Claim 13 (original): The adjustable book holder as claimed in claim 12, wherein said adjustably securing means includes a first

gear attached to said first seat, and a second gear attached to said first follower and engageable with said first gear, to secure said first follower and said first seat together at selected angular positions.

Claim 14 (original): The adjustable book holder as claimed in claim 12, wherein said adjustably securing means includes a first gear attached to said second seat, and a second gear attached to said second follower and engageable with said first gear, to secure said second follower and said second seat together at selected angular positions.

Claims 15-17 (canceled).